	L#	Hits	S arch Text	DBs
1	L1	4344	(361/91.1,767-771,777-7 79,782-785,790,791,803).ccls.	1
2	L2	5199	(257/664,691,698,700,7 23,724,728,786).ccls.	USP AT; US-P GPU B
3	L3	1591	(333/33,247).ccls.	USP AT; US-P GPU B
4	L4	2137	324/765.ccls.	USP AT; US-P GPU B
5	L5	398		USP AT; US-P GPU B
6	L6	1294 9	12345	USP AT; US-P GPU B
7	L7	0	6 and @pd>=200300220	USP AT; US-P GPU B

	L#	Hits	Search Text	DBs
8	L8	1416	6 and @pd>=20030220	USP AT; US-P GPU B
9	L9	153	8 and (interposer\$1 adapter\$1)	USP AT; US-P GPU B
10	L10	107	9 and (pin\$1 socket\$1 connector\$1)	USP AT; US-P GPU B
11	L11	46	9 not 10	USP AT; US-P GPU B

	L#	Hits	Search Text	DBs
1	L1	2063 0	((pga pin\$1 (pin adj grid adj array\$1) with s ck t\$1) same (parasitic d lay nois\$1))	USP AT; US-P GPU B
2	L2	2079	1 and socket\$1	USP AT; US-P GPU B
3	L3	381	2 and (direct\$2 adj connect\$3)	USP AT; US-P GPU B
4	L4	315	((pga pin\$1 (pin adj grid adj array\$1)) with socket\$1) same (parasitic delay\$2 noise noisy)	USP AT; US-P GPU B
5	L5	133	4 not delay\$2	USP AT; US-P GPU B
6	L6	929	parasitic\$1))	USP AT; US-P GPU B
7	L8	470	7 and (((circuit wiring) adj board\$1) pcb\$1 pwb\$1 board\$1 substrate\$1)	USP AT; US-P GPU B

	L #	Hits	Search Text	DBs
8	L9	50	8 and (pga (pin adj grid adj array\$1))	USP AT; US-P GPU B
9	L7	919	6 not 5	USP AT; US-P GPU B
10	L10	350	((socket\$1 connector\$1) with (introduc\$5 caus\$3) with (noise parasitic\$1))	USP AT; US-P GPU B
11	L11	341	10 not (5 9)	USP AT; US-P GPU B